



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY
BY THE
UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT
PREVALENCE OF DISEASE, THE OCCURRENCE
OF EPIDEMICS, AND RELATED SUBJECTS

VOLUME 32
NUMBER 31
AUGUST 3, 1917



WASHINGTON
GOVERNMENT PRINTING OFFICE
1917

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General*.

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. JOHN W. TRASK, *Chief of Division*.

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.

AT

5 CENTS PER COPY
SUBSCRIPTION PRICE, \$2.00 PER YEAR

▽

CONTENTS.

	Page.
Health department laboratories—The need for their careful supervision.....	1215
Malaria in Kentucky—Prevalence and geographic distribution.....	1215
Directory of city health officers—Containing the names and official titles of the health officers of cities having a population of 10,000 and over in 1910.....	1221

PREVALENCE OF DISEASE.

United States:

Current State summaries—	
California report for the week ended July 28, 1917.....	1232
Cerebrospinal meningitis—	
Louisiana—Doyle.....	1232
State reports for June, 1917.....	1233
Arkansas report for May, 1917.....	1233
City reports for week ended July 14, 1917.....	1233
Erysipelas—	
City reports for week ended July 14, 1917.....	1234
Leprosy—	
New York—New York City.....	1234
City report for week ended July 14, 1917.....	1234
Malaria—	
State reports for June, 1917.....	1234
Arkansas report for May, 1917.....	1235
City reports for week ended July 14, 1917.....	1235
Pellagra—	
State reports for June, 1917.....	1236
Arkansas report for May, 1917.....	1236
City reports for week ended July 14, 1917.....	1237
Plague—	
California—Alameda County—Plague-infected squirrels found.....	1237
Pneumonia—	
City reports for week ended July 14, 1917.....	1237
Poliomyelitis (infantile paralysis)—	
Alabama—Ragland.....	1237
California.....	1237
Connecticut—New Britain.....	1237
Illinois—Chicago.....	1238
Kansas.....	1238
Maryland.....	1238
Massachusetts—Haverhill and Lynn.....	1238
Minnesota—Pope County.....	1238
Vermont.....	1238
Virginia.....	1238
West Virginia.....	1238
State reports for June, 1917.....	1239
City reports for week ended July 14, 1917.....	1239

United States --Continued.

Rabies in animals—	Page.
City reports for week ended July 14, 1917.....	1239
Rocky Mountain spotted fever—	
State reports for June, 1917.....	1239
Smallpox--	
Massachusetts—Virulent smallpox.....	1239
Minnesota.....	1240
Miscellaneous State reports.....	1240
City reports for week ended July 14, 1917.....	1241
Tetanus—	
City reports for week ended July 14, 1917.....	1242
Typhoid fever—	
State reports for June, 1917.....	1242
Arkansas report for May, 1917.....	1244
City reports for week ended July 14, 1917.....	1244
Diphtheria, measles, scarlet fever, and tuberculosis—	
State reports for June, 1917.....	1244
Arkansas report for May, 1917.....	1245
City reports for week ended July 14, 1917.....	1245
Foreign:	
Cuba—	
Communicable diseases—Habana.....	1248
Cholera, plague, smallpox, typhus fever, and yellow fever—	
Reports received during the week ended August 3, 1917—	
Cholera.....	1248
Plague.....	1248
Smallpox.....	1249
Typhus fever.....	1249
Reports received from June 30 to July 27, 1917—	
Cholera.....	1249
Plague.....	1250
Smallpox.....	1250
Typhus fever.....	1252
Yellow fever.....	1252